


JBF ENVIRONMENTAL TECHNOLOGY

Division of SLICKBAR PRODUCTS CORPORATION

DIP402 Vessel of Opportunity Skimming System



DIP402 Skimming System

DIP402 VOSS			
Material:	Marine Aluminum	Maximum Oil Recovery Rate	625 BBL/Hour (100 m ³ /Hour)
Length:	116 in. (3.35 m)	Effective Oil Collection Speed	0-3+ knots
Beam (stowed):	48 in. (1.22 m)	Oil Recovery Efficiency	99%
Beam (deployed):	108 in. (2.74 m)	Oil Throughput Efficiency	74-94%
Height:	56 in. (1.42 m)		
Draft:	30 in. (0.76 m)		
Weight:	1892 lbs. (860 kg)		
Sea State:	0 - 6 ft. (0 - 1.8 m) waves		

Standard Features: Removable DIP Belt Box, Oil Resistant Inflatable Flotation Tubes, Folding Frame for Stowing & Transport, Lifting Points with Lifting Harness, Universal Boom Connectors, Collection Well, Hydraulic Hoses, Mooring Lines, Mounting Provision for JBF Transfer Pump, Complete Manuals

ACCESSORIES

Transfer Pumps

Positive Displacement
Screw or Centrifugal

Hydraulic Power Packs

Diesel or Electric
Air Blower/Inflator
Tube Frame, Controls

VOSS V Sweep Rigging

28' (8.5 m) Containment Boom Sweeps
Outrigger, Gunnel Yoke, Tow Lines
Tow Bridles

Control Panel

for connection to
existing vessel's
Prime Mover

Training

Classroom & On-Water
Operation, Maintenance,
Strategy

Additional Containment Boom

Shallow Water, Near Shore
Solid or Inflatable

JBF Environmental Technology (Division of Slickbar Products Corp.)

18 Beach Street, Seymour, CT 06483 USA

Ph: 203-888-7700 • Toll Free: 1-877-JBF-SKIM (523-7546) • Fax: 203-888-7720

Email: jbf@slickbar.com • Web: www.slickbar.com